Appendices

2,497 HOUSEHOLDS INCLUDED IN THE SAMPLE AT BASELINE in 131 Communities from five Districts

CHILDREN 5-15 years old at BASELINE

ADULTS 16+ years old at BASELINE

Treatment group
1,262 households interviewed at BASELINE (July-September 2015)

Comparison group
1,235 households interviewed at BASELINE (July-September 2015)

Treatment group
1,262 households interviewed at BASELINE (July-September 2015)

Comparison group
1,235 households interviewed at BASELINE (July-September 2015)

2,690 individuals 5-15 yrs old interviewed at BASELINE

2,046 individuals 5-15 yrs old interviewed at BASELINE

3,510 individuals 16+ yrs old interviewed at BASELINE

3,355 individuals 16+ yrs old interviewed at BASELINE

1,185 households re-interviewed at ENDLINE (June-August 2017)

1,146 households re-interviewed at ENDLINE (June-August 2017)

1,185 households re-interviewed at ENDLINE (June-August 2017)

1,146 households re-interviewed at ENDLINE (June-August 2017)

2,389 individuals 5-15 yrs old interviewed at ENDLINE

1,808 individuals 5-15 yrs old interviewed at ENDLINE

3,134 individuals 16+ yrs old interviewed at ENDLINE

2,996 individuals 16+ yrs old interviewed at ENDLINE

Figure A1. Flowchart of Study Sample

Table A1: Attrition by treatment status and age group

	N	All	Comparison	Treatment	P-value of diff.
Individuals aged 5-15 years at baseline					
Attrition rate	4,736	0.11	0.12	0.11	0.755
Individuals aged 16+ at baseline					
Attrition rate	6,865	0.11	0.11	0.11	0.989

T-test based on standard errors clustered at the community level.

Table A2: Individual differential attrition (from baseline to endline) by baseline characteristics

	Control			Treatment			Difference		Balance	
	Attritors	Panel	P-value	Attritors	Panel	P-value	Col(1)-Col(4)	P-value	Col(2)-Col(5)	P-value
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Individuals aged 5-15 years at baseline										
Background characteristics										
Age (years)	9.90	8.83	0.000	10.00	8.93	0.000	-0.52	0.428	0.01	0.966
Age squared	108.46	87.04	0.000	110.51	88.51	0.000	-10.83	0.424	-0.32	0.925
Female (0,1)	0.62	0.46	0.000	0.56	0.47	0.003	-0.03	0.730	-0.01	0.828
Household size	9.42	8.01	0.000	10.13	8.44	0.000	-0.14	0.881	0.29	0.461
Head is female (0,1)	0.07	0.06	0.583	0.04	0.07	0.009	0.00	0.987	0.05	0.039
Age of head (years)	43.66	41.76	0.077	45.47	42.69	0.021	2.10	0.435	-0.79	0.448
Head no formal schooling (0,1)	0.85	0.84	0.818	0.90	0.85	0.035	-0.07	0.257	0.03	0.486
Outcome										
Has valid NHIS insurance for current year (0,1)	0.37	0.45	0.014	0.30	0.45	0.001	0.10	0.186	0.01	0.836
N	238	1,808		301	2,389					
Individuals aged 16+ at baseline										
Background characteristics										
Age (years)	36.31	36.06	0.834	35.67	37.30	0.247	1.49	0.632	-0.11	0.871
Age squared	1,713.16	1,528.12	0.107	1,676.83	1,626.01	0.716	147.23	0.621	-11.17	0.863
Female (0,1)	0.54	0.56	0.454	0.56	0.56	0.957	0.05	0.375	0.01	0.311
Household size	8.43	6.88	0.000	9.31	7.57	0.000	0.11	0.887	0.32	0.184
Head is female (0,1)	0.08	0.05	0.135	0.07	0.07	0.740	-0.01	0.771	0.04	0.037
Age of head (years)	42.77	38.50	0.001	44.95	41.12	0.001	-3.71	0.163	0.32	0.754
Head no formal schooling (0,1)	0.75	0.78	0.379	0.81	0.82	0.776	-0.13	0.109	0.05	0.189
Outcome										
Has valid NHIS insurance for current year (0,1)	0.26	0.33	0.016	0.21	0.32	0.000	0.05	0.459	0.03	0.259
N	359	2,996		376	3,134					

Mean values represent unadjusted statistics. P-values in Column 8 are from the coefficient on treatment from a regression predicting each characteristic listed in the table controlling for PMT score, among the group of attritors, while Column 10 is the same among the panel sample. Standard errors clustered at the community level.

3